

274



2015 00013700  
 Bk: 28968 Pg: 273 Page: 1 of 24  
 Recorded: 04/13/2015 02:07 PM



**Massachusetts Department of Environmental Protection**  
**Bureau of Resource Protection - Wetlands**  
**WPA Form 5 – Order of Conditions**  
**Massachusetts Wetlands Protection Act M.G.L. c. 131, §40**

Provided by MassDEP:

MassDEP File #  
 145-763  
 eDEP Transaction #  
 Dracut  
 City/Town

### A. General Information

**Please note:**  
 this form has  
 been modified  
 with added  
 space to  
 accommodate  
 the Registry  
 of Deeds  
 Requirements

**Important:**  
 When filling  
 out forms  
 on the  
 computer,  
 use only the  
 tab key to  
 move your  
 cursor - do  
 not use the  
 return key.



1. From: Dracut  
 Conservation Commission

2. This issuance is for  Order of Conditions  Amended Order of Conditions  
 (check one):

3. To: Applicant:

Nalin Parekh

a. First Name b. Last Name

130 Commerce Way

c. Organization

d. Mailing Address

Woburn MA

e. City/Town f. State 01801

g. Zip Code

4. Property Owner (if different from applicant):

a. First Name b. Last Name

c. Organization

d. Mailing Address

e. City/Town f. State g. Zip Code

5. Project Location:

341 Broadway Road Dracut

a. Street Address b. City/Town

Map 37/Map 51 Lots 86-1,86-2,86-3

c. Assessors Map/Plat Number d. Parcel/Lot Number

Latitude and Longitude, if known: 42d68m15s -71d29m95s

d. Latitude e. Longitude



Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
**WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**A. General Information (cont.)**

6. Property recorded at the Registry of Deeds for (attach additional information if more than one parcel):  
**M.N.R.D**
- |                    |   |
|--------------------|---|
| a. County<br>11170 | b. Certificate Number (if registered land)<br>323 |
| c. Book            | d. Page   |
7. Dates: **10/06/06** **3/21/07** **4/11/07**
- |                                |                               |                     |
|--------------------------------|-------------------------------|---------------------|
| a. Date Notice of Intent Filed | b. Date Public Hearing Closed | c. Date of Issuance |
|--------------------------------|-------------------------------|---------------------|
8. Final Approved Plans and Other Documents (attach additional plan or document references as needed):  
**Proposed Site Plan**
- |  |                                  |   |
|--|----------------------------------|---|
| a. Plan Title<br><b>K&amp;M Land Consultants</b> | b. Prepared By<br><b>10/1/14</b> | c. Signed and Stamped by<br><b>Mark O'Hara Jr</b> |
| d. Final Revision Date                           | e. Scale                         |   |
- f. Additional Plan or Document Title
- g. Date

**B. Findings**

1. Findings pursuant to the Massachusetts Wetlands Protection Act:

Following the review of the above-referenced Notice of Intent and based on the information provided in this application and presented at the public hearing, this Commission finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act (the Act). Check all that apply:

- |  |   |  |
|--|---|--|
| a. <input type="checkbox"/> Public Water Supply  | b. <input type="checkbox"/> Land Containing Shellfish | c. <input type="checkbox"/> Prevention of Pollution        |
| d. <input type="checkbox"/> Private Water Supply | e. <input type="checkbox"/> Fisheries                 | f. <input type="checkbox"/> Protection of Wildlife Habitat |
| g. <input type="checkbox"/> Groundwater Supply   | h. <input type="checkbox"/> Storm Damage Prevention   | i. <input type="checkbox"/> Flood Control                  |

2. This Commission hereby finds the project, as proposed, is: (check one of the following boxes)

**Approved** subject to:

- a.  the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. This Commission orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
**WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

## B. Findings (cont.)

### Denied because:

- b.  the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect the interests of the Act, and a final Order of Conditions is issued. **A description of the performance standards which the proposed work cannot meet is attached to this Order.**
- c.  the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order as per 310 CMR 10.05(6)(c).**
3.  Buffer Zone Impacts: Shortest distance between limit of project disturbance and the wetland resource area specified in 310 CMR 10.02(1)(a) a. linear feet

### Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	a. linear feet	b. linear feet	c. linear feet	d. linear feet
5. <input type="checkbox"/> Bordering Vegetated Wetland	a. square feet	b. square feet	c. square feet	d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	a. square feet	b. square feet	c. square feet	d. square feet
	e. c/y dredged	f. c/y dredged		
7. <input type="checkbox"/> Bordering Land Subject to Flooding	a. square feet	b. square feet	c. square feet	d. square feet
Cubic Feet Flood Storage	e. cubic feet	f. cubic feet	g. cubic feet	h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	a. square feet	b. square feet		
Cubic Feet Flood Storage	c. cubic feet	d. cubic feet	e. cubic feet	f. cubic feet
9. <input type="checkbox"/> Riverfront Area	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft	g. square feet	h. square feet	i. square feet	j. square feet



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40**

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**B. Findings (cont.)**

**Coastal Resource Area Impacts:** Check all that apply below. (For Approvals Only)

	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
10. <input type="checkbox"/> Designated Port Areas	Indicate size under Land Under the Ocean, below			
11. <input type="checkbox"/> Land Under the Ocean	a. square feet	b. square feet		
	c. c/y dredged	d. c/y dredged		
12. <input type="checkbox"/> Barrier Beaches	Indicate size under Coastal Beaches and/or Coastal Dunes below			
13. <input type="checkbox"/> Coastal Beaches	a. square feet	b. square feet	c. cu yd	d. cu yd
14. <input type="checkbox"/> Coastal Dunes	a. square feet	b. square feet	c. cu yd	d. cu yd
15. <input type="checkbox"/> Coastal Banks	a. linear feet	b. linear feet		
16. <input type="checkbox"/> Rocky Intertidal Shores	a. square feet	b. square feet	c. nourishment	d. nourishment
17. <input type="checkbox"/> Salt Marshes	a. square feet	b. square feet		
18. <input type="checkbox"/> Land Under Salt Ponds	a. square feet	b. square feet	c. square feet	d. square feet
19. <input type="checkbox"/> Land Containing Shellfish	c. c/y dredged	d. c/y dredged		
20. <input type="checkbox"/> Fish Runs	a. square feet	b. square feet	c. square feet	d. square feet
	Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above			
21. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	a. c/y dredged	b. c/y dredged		
	a. square feet	b. square feet		



Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
**WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

## B. Findings (cont.)

\* #22. If the project is for the purpose of restoring or enhancing a wetland resource area in addition to the square footage that has been entered in Section B.5.c (BVW) or B.17.c (Salt Marsh) above, please enter the additional amount here.

22.  Restoration/Enhancement \*:

a. square feet of BVW

b. square feet of salt marsh

23.  Stream Crossing(s):

a. number of new stream crossings

b. number of replacement stream crossings

## C. General Conditions Under Massachusetts Wetlands Protection Act

**The following conditions are only applicable to Approved projects.**

1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.
2. The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.
3. This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
4. The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply:
  - a. the work is a maintenance dredging project as provided for in the Act; or
  - b. the time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.
5. This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order.
6. If this Order constitutes an Amended Order of Conditions, this Amended Order of Conditions does not extend the issuance date of the original Final Order of Conditions and the Order will expire on \_\_\_\_\_ unless extended in writing by the Department.
7. Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.
8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)**

9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,

"Massachusetts Department of Environmental Protection" [or, "MassDEP"]

"File Number 145-763"

11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before MassDEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #13 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.
17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)**

18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.

**NOTICE OF STORMWATER CONTROL AND MAINTENANCE REQUIREMENTS**

19. The work associated with this Order (the “Project”) is (1)  is not (2)  subject to the Massachusetts Stormwater Standards. If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:
- a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.
  - b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:
    - i. all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
    - ii. as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
    - iii. any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;
    - iv. all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;
    - v. any vegetation associated with post-construction BMPs is suitably established to withstand erosion.



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)**

- c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 18(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement ("O&M Statement) for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMP Operation and Maintenance Plan ("O&M Plan") and certifying the following: *i.*) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and *ii.*) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.
- d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.
- e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 18(f) through 18(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 18(f) through 18(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.
- f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

**C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)**

- g) The responsible party shall:
  - 1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
  - 2. Make the maintenance log available to MassDEP and the Conservation Commission ("Commission") upon request; and
  - 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.
- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Special Conditions (if you need more space for additional conditions, please attach a text document):

**see attached boiler plate  
No additional Structures, filling or grading within 50' buffer zone  
Certified Foundation Plan**

---

---

---



Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
**WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

#### D. Findings Under Municipal Wetlands Bylaw or Ordinance

1. Is a municipal wetlands bylaw or ordinance applicable?  Yes  No
2. The Dracut   
Conservation Commission hereby finds (check one that applies):

- a.  that the proposed work cannot be conditioned to meet the standards set forth in a municipal ordinance or bylaw, specifically:

1. Municipal Ordinance or Bylaw

2. Citation

Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides measures which are adequate to meet these standards, and a final Order of Conditions is issued.

- b.  that the following additional conditions are necessary to comply with a municipal ordinance or bylaw:

1. Municipal Ordinance or Bylaw

2. Citation

3. The Commission orders that all work shall be performed in accordance with the following conditions and with the Notice of Intent referenced above. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, the conditions shall control.

The special conditions relating to municipal ordinance or bylaw are as follows (if you need more space for additional conditions, attach a text document):



Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
**WPA Form 5 – Order of Conditions**  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

### E. Signatures

This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

1. Date of Issuance

Please indicate the number of members who will sign this form.

2. Number of Signers

This Order must be signed by a majority of the Conservation Commission.

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy also must be mailed or hand delivered at the same time to the appropriate Department of Environmental Protection Regional Office, if not filing electronically, and the property owner, if different from applicant.

Signatures:

by hand delivery on

Date

3/11/15

by certified mail, return receipt requested, on

Date

### F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request of Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.



**Massachusetts Department of Environmental Protection  
Bureau of Resource Protection - Wetlands  
WPA Form 5 – Order of Conditions  
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40**

Provided by MassDEP:

MassDEP File #  
145-763  
eDEP Transaction #  
Dracut  
City/Town

### G. Recording Information

Prior to commencement of work, this Order of Conditions must be recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land subject to the Order. In the case of registered land, this Order shall also be noted on the Land Court Certificate of Title of the owner of the land subject to the Order of Conditions. The recording information on this page shall be submitted to the Conservation Commission listed below.

Dracut

Conservation Commission

Detach on dotted line, have stamped by the Registry of Deeds and submit to the Conservation Commission.

To:

Dracut

Conservation Commission

Please be advised that the Order of Conditions for the Project at:

341 Broadway Road

145-763

Project Location

MassDEP File Number

Has been recorded at the Registry of Deeds of:

County

Book

Page

for: Property Owner

and has been noted in the chain of title of the affected property in:

Book

Page

In accordance with the Order of Conditions issued on:

Date

If recorded land, the instrument number identifying this transaction is:

Instrument Number

If registered land, the document number identifying this transaction is:

Document Number

Signature of Applicant

**Standard:**

1. **Prior to commencement of work, this Order shall be recorded at the Middlesex County Registry of Deeds, in accordance with General Condition No. 8, and the recording information on page 7, completed and stamped by the Registrar, shall be returned to the Dracut Conservation Commission.**
2. **When returning the registry receipt, the applicant shall inform the Commission in writing of the name, address, business and home telephone number of the project supervisor who will be responsible for ensuring on-site compliance with this Order.**
3. The Dracut Conservation Commission shall be notified of any change in Owner and/or agent in writing within thirty days thereof.
4. Members and Agents of the Dracut Conservation Commission and The Department of Environmental Protection reserve the right to enter and inspect the property at all reasonable times, until a Certificate of Compliance is issued, to evaluate compliance with the conditions stated in this Order of Conditions, the Act and 310CMR 10.00, and may acquire any information, measurements, photographs, observations, and/or materials, or may require the submittal of any data or information deemed necessary by the Dracut Conservation Commission for that evaluation.
5. A complete copy of Order of Conditions, including drawings, special conditions, and any amendments shall be maintained at the work site whenever work is being performed. The permittee shall assure that all contractors, subcontractors, and other personnel performing the work are fully aware of the permit terms and conditions.
6. The provisions of this Order of Conditions shall apply to, and be binding on the applicant, his/her employees and all successors and assigns in interest and control.
7. It is the responsibility of the Applicant/ Owner and/or successors to ensure that all Conditions of this order are complied with. The project engineer and contractors are to be provided with a copy of this Order of Conditions and referenced documents prior to start of construction.
8. Prior to work commencing on site, the applicant shall submit to the Commission for approval, a detailed sequence of construction, including the construction of compensation and detention areas, and re-vegetation, to be completed before other work begins on site
9. Prior to the commencement of work, the Applicant, in writing, shall arrange an on-site meeting with the Dracut Conservation Commission or Agent, the Contractor, and the Applicant to ensure that all conditions of this Order of Conditions are understood. This condition shall be part of the Contractor's written contract.

10. All construction must comply with the referenced plans on page 1, #4 of this Order of Conditions.
11. **Any modifications or deviations made or intending to be made from the plan, or any new plan, must be submitted to the Commission for review and a determination as to whether a new Notice of Intent is required. If the Dracut Conservation Commission deems the change insignificant in writing, a new Notice of Intent will not be required. If the change is deemed significant, the Applicant will be required to submit a new Notice of Intent.**
12. If any unforeseen problem occurs during construction, which will affect any statutory interests in the Wetlands Protection Act, upon discovery the Conservation Commission, or it's agent, shall notify the developer immediately and a meeting shall be held between the Commission, or it's agent, the developer, and other concerned parties to determine the corrective measures to be employed.
13. There shall be no construction refuse buried on the site of the work.
14. During construction, all debris (including stumps and slash) generated from all aspects of this project will be removed from the site and disposed of, as dictated by the Commonwealth of Massachusetts and Town of Dracut. Proof and/or receipts shall be provided on request.
15. No further filling, dredging, or altering of wetland resources, not covered by the plans referenced on page 1 #4 of this Order of Conditions, shall not take place.
16. All equipment shall be stored in such a manner, so as to, not introduce any pollutants into any wetlands, and in no event shall there be any discharge or spillage of fuel, oil, or other pollutants into any resource area.
17. Water may not be diverted from the wetland, nor shall any effluent be discharged into the wetland during construction.

#### Erosion Control:

18. Prior to any work on site the Applicant shall submit to the Conservation Commission, for approval, a construction, erosion and sedimentation control.
19. Erosion control around a Wetlands area will be protected by the placement of:
  - Double staked hay bales embedded 4" into the ground. Stakes shall be a minimum of 18" deep in the ground.
  - Siltation fence may only be used with the permission of the Dracut Conservation Commission. Silt fence must be anchored, and trenched by a minimum of 6" of soil on the uphill edge of the silt fabric. This fence will only be constructed around the periphery of the wetlands on the project site.

20. The hay bale barrier shall function as erosion/sedimentation control and as a delineation of the work area. No work, alterations, or other activity shall occur on the wetland side of the hay bale, including the establishment of lawns or the cutting of vegetation, without further filing a Request for Determination of Applicability, or a Notice of Intent and receiving a permit from the Dracut Conservation Commission.
21. **All mitigation and resource protection devices and measures (e.g. hay bales, silt fences, etc.) are to be installed prior to the initiation of any work under this Order of Conditions. The Conservation Commission, or its agent, shall be notified in writing when the protective measures have been installed for inspection and verification. The Conservation Commission, or its agent, has 3 working days from date of notification to inspect said measures. No work shall begin until written approval is received from the Dracut Conservation Commission or its agent.**
22. The applicant shall have on site, prior to any soil disturbance, removal or stockpiling, a minimum of fifty or 10% of total hay bales and sufficient stakes for staking. These hay bales shall be used for control of emergency erosion problems, and shall not be used for the normal control of erosion or for the hay bale barrier described in Special Condition 20.
23. All erosion control and sedimentation prevention measures shall remain in place and be maintained for the purpose for which they were installed (proper maintenance may require periodic replication) until the area up-gradient is permanently stabilized and a Certificate of Compliance has been issued.
24. The installation of hay bales or other erosion control and sediment control measures may be required in places not shown on the plan or mentioned in the Order of Conditions. The Conservation Commission, or its agent, may request hay bales in those locations, if it is apparent that the lack of erosion control devices has caused damage to the resource areas. Said erosion control devices shall be placed within forty-eight (48) hours of said request.
25. Any hay bales that deteriorate during the activity period are to be replaced immediately. At the close of each construction day, and especially prior to weekends, the applicant shall assume responsibility for monitoring all erosion and sedimentation barriers, and to insure that all barriers are in place, secure, reinforced and properly maintained at days end. In the event that an uncontrollable emergency occurs, such as a heavy rainstorm, causing erosion and sedimentation breakout, the applicant shall restore such barriers to the standards outlined in this Order of Conditions, and the satisfaction of this Conservation Commission or its agent. The hay bales shall be in place until re-vegetation occurs.
26. All disturbed or exposed soil surfaces shall be temporarily stabilized after each work day with hay, straw, mulch or any other protective covering and/or method approved by the US Department of Agriculture Soil Conservation Service.

27. All debris, fill and excavated material shall be at least 50 feet from designated wetlands, and at a location to prevent sedimentation from surface run-off to enter the wetlands. At no time shall any debris or other material be buried or disposed of within that line marked on plan as wetland, as shown on plans referenced on page 1 # 4 pf Order of Conditions.
28. Proper erosion control measures shall be employed including the use of siltation fencing and straw hay bales dikes placed around the fill areas. These measures shall be inspected and repaired as necessary after all rainstorm events in order to ensure their integrity and effectiveness. Any material, which is accumulated behind the silt fencing, shall be removed immediately. The Conservation Commission or its agent reserves the right to inspect these erosion control measures on a regular basis and require additional maintenance and repair if not satisfied with the existing level of care exercised by the applicant.

**RUNOFF:**

29. Detention areas **shall be constructed prior to the construction of the roads** unless justified otherwise and agreed to by the Conservation Commission.
30. No discharge of water from any excavation shall take place unless water has been filtered to remove sediment.
31. The owner of the property covered by this Order of Conditions and their successors on title shall be responsible for the maintenance of all drainage systems, flood control, and water quality facilities located on said property. This condition shall remain in perpetuity and shall not expire with the issuance of a Certificate of Compliance.
32. The conditions set forth regarding storm water management shall remain in effect throughout the life of the facility.

**Title 5:**

33. Construction of the structure shall not commence until the applicant has obtained a Disposal Works Permit, pursuant to 310CMR 15.02(2).
34. An as-built plan of the subsurface sewage disposal system shall be included in the request for a Certificate of Compliance.
35. Construction of the structure, if within 100' of resource area, shall not commence until the applicant has received a variance from the Board of Health, all procedures for such a variance pursuant to 310 CMR 15.20 have been followed, and all appeal periods have elapsed. A copy of the variance shall be submitted to the Dracut Conservation Commission prior to the construction of the building.

**FLOODPLAINS:**

36. Construction of the structure and placement of the appurtenant facilities shall be in compliance with the provisions of the State Board of Building Regulations and Standards, 780 CMR 744.0, DESIGN REQUIREMENTS FOR CONSTRUCTION IN FLOODPLAINS. Prior to construction above the foundation, an Elevation Certificate as required by 780 CMR 744.5 shall be submitted to the Dracut Conservation Commission.
37. **Prior to commencement of work, the applicant, his successor, or assignees shall submit to the Dracut Conservation Commission a building and foundation plan that has been reviewed and certified by a registered professional engineer to meet the provisions of 780 CMR 744.4.**
38. The area below the structure shall be limited to storage and parking. No other use is permitted. The area below the dwelling shall not be finished or used for recreational or habitable purposes. This shall be a continuing condition.

**ROADS**

39. Road pavement shall be sloped as necessary to collect all runoff into the road drainage system or catch basins.
40. The road drainage system of catch basins and detention facilities shall be maintained in the following manner to ensure their continued functions:
  - a. Grease and gas traps shall be installed in catch basins to protect the wetland area from pollution caused by run-off.
  - b. Construction receipts of such shall be kept and submitted to the Conservation upon request.
  - c. The detention basin shall be inspected annually for sediment accumulation and foreign debris. The basin shall be cleaned of accumulated sediment if the sediment is over six inches (6 in.) in depth. Records shall be kept of the date of the inspection, the person inspecting the basins, the results of the inspection, the person inspecting the basins, the results of the inspection, and any action taken as a result of the inspection, and any action taken as a result of that inspection. All records of inspection and cleaning shall be submitted to the Conservation Commission upon request.
41. All pipe used in the drainage system shall have watertight connections when placed below the maximum ground water elevation, as determined by the Board of Health methods for septic system design. All entries and exits from catch basins shall be watertight. All entries and exits from drain manholes, if below the maximum ground water elevation, shall be watertight. All catch basins shall be designed and constructed to be watertight. All sewer manholes shall be designed

and constructed to be watertight, if placed below the maximum ground water elevations.

42. If the road drainage systems of catch basins, infiltration, detention basins and riprap cease or fail to function for the purpose they were designed, built and maintained (that is, to prevent an adverse effect on the resource areas from erosion, siltation, flooding and/or pollution) the Dracut Conservation Commission may order that corrective measures be taken to protect the interests of the Wetlands Protection Act. The Owner(s) of the road shall comply with any request for redesign or reconstruction of the road drainage system ordered by the Dracut Conservation Commission under this Special Condition. This shall be a continuing condition.
43. No deicing chemicals shall be used where run-off/drainage will discharge into the wetlands. This condition shall remain in perpetuity, and shall be recorded as such on the Certificate of Compliance.
44. If erosion or storm damage occurs to the driveways or roads due to overtopping caused by a one hundred (100) year frequency storm or a storm of greater frequency, the Dracut Conservation Commission may require further information relative to the delineation of the floodplain, the maximum flow of the stream, and the ability of the culverts to handle that flow. The applicant, successors or assignees shall provide all requested information within thirty (30) days of receipt of the request for the information. The Dracut Conservation Commission may require modifications to the road crossing to protect the interests of the Wetlands Protection Act. Any requested modifications shall take place within sixty (60) days of the receipt of the request from the Conservation Commission.
45. Wetland crossings shall be done when there is no flow in the stream.

#### **MISCELLANEOUS:**

46. All utility poles shall be treated with a non-leaching wood preservative. The use of creosote is expressly prohibited. Use of a wood preservative other than CCA salts shall require prior written notification to the Dracut Conservation Commission five (5) days in advance of placement.
47. Any on site dumpsters shall not be located within 100 feet of the wetlands.
  1. Cement trucks shall not be washed in the wetland buffer zone. Any deposit of concrete or cement products into the wetland areas shall be removed by hand.

***REPLICATION (Wetland Replacement Area)***

49. Work on the crossing of the wetlands and the replication area shall be done according to the replication report submitted with the Notice of Intent with the following exceptions:
  - A. Prior to the commencement of work, the Applicant shall establish an escrow account to secure the wetlands replication area. The escrow agreement shall take the form required by the Town Treasurer.
  - B. A hay bale barrier shall be placed between the proposed wetland areas and the existing wetlands.
50. The compensatory Bordering Vegetated Wetland shall be constructed prior to any filling of Bordering Vegetated Wetland.
51. Replication of vegetation shall be "in kind", i.e., the replication area shall be generally similar to the area destroyed in species composition, and cover and structure of dominant species, unless modified by the Conservation Commission.
52. The replication area shall meet the performance standards in 10.55(4)(b).
53. Seasonal ground water elevations shall be determined for the replication area. If adequate groundwater elevation does not exist, the applicant is required to create a perched ground water substrate.
54. The following shall be submitted to the Conservation Commission for approval prior to any construction. This will aid in defining the extent and nature of the replication area.
  - a. A complete site specific analysis of the wetland area to be altered including:
    1. Ground and surface hydrology
    2. Existing water quality including levels of those compounds requested by the Conservation Commission and the uptake capacity of the wetland for each
    3. Recharge/discharge rate
    4. Flood storage capacity
    5. Plant species list; cover value, average height and range of heights for each species and each layer of vegetation (trees, shrubs, herbs)
    6. Wildlife habitat characteristics including food, shelter and breeding site characteristics
    7. Importance to fisheries
  - b. A plan for the replication area including:

1. A summary report of observations made and remedial techniques planned under item # 54(a.)(1.) regarding existing ground and surface hydrology and mechanisms to establish ground and surface water connections with the adjacent wetlands.
  2. Mechanisms to reproduce levels of the functions in # 54 (a.)(2-5) similar to the area being lost.
55. Analyses shall be completed, designs and plans developed, and the construction supervised on site by specialists approved by the Conservation Commission who have expertise and demonstrated experience with wetland replication. Documentation of it shall be provided to the Conservation Commission.
56. The Conservation Commission, or its agent, shall be given a 3 working day notice prior to the beginning of construction of the replication area. It is the intent of the Conservation Commission, or its agent, to meet with the construction engineer and the wetland specialists to discuss the requirements of this order and to ensure compliance with all special conditions.
57. During the construction phase for this project an on-site supervisor, directing engineer or designated construction manager, shall have a copy of the permit at the site, familiarize himself or herself with the conditions of the permit, and adhere to those conditions.
58. The replication area shall be constructed in the following manner:
- a. Plants from the altered wetland areas will be transplanted in their original organic material to the replication area. Wetland plants will be carefully dug with attention given to the root system, balled and/or burlapped in a professional manner, and temporarily stored in a shady area and watered on a daily basis.
  - b. The topsoil from the replication site shall be stockpiled.
  - c. The area shall be excavated and graded to a depth of at least ten inches below the proposed contours shown on the site plan.
  - d. The adjacent slopes shall be graded as shown on the plan with the topsoil again stockpiled.
  - e. All stockpiled soils shall be isolated from the wetland.
  - f. Stockpiled soil shall then be placed on the replication site and slopes to a depth of several inches; additional material such as peat moss or leaf mold may be added to this layer.
  - g. The upper layer of the replication area shall consist of soil, plants, plant propagules removed from the wetland to be filled, and other approved plant materials as described on the re-vegetation plan.
59. No alteration of wetlands and no other site work shall take place until after the replication area has been constructed except to remove organic soil or access the replication site.

60. The adjacent exposed slopes shall be loomed, seeded, and mulched. An adequate vegetative cover must be established within one growing season.
61. Siltation barrier shall be placed at the periphery of the replication area proper and at the top of any non-stabilized adjacent slope. These will remain in place, and be maintained until all areas are completely stabilized.
62. The siltation barriers shall serve as a work limit line for the project. No disturbance to adjacent wetland areas resulting from work on the project shall occur during or after construction of the replication area.
63. Following construction of the replication area and prior to other work on the site, a wetland specialist shall certify to the Conservation Commission that the area has been constructed in compliance with the Order of Conditions.
64. Quantitative data indicating the status of the project with respect to the performance standards and pertinent conditions of the Order of Conditions shall be submitted to the Conservation Commission at 12-month intervals until a Certificate of Compliance is issued. The initial report shall also include: excavation date and process, wetland soil depth, any planting and replanting dates.
65. A quantitative vegetation analysis shall be submitted by a wetland plant specialist to the Conservation Commission each year. More frequent analysis may be required by the Commission.
66. A replication area will be considered successful and a Certificate of Compliance may be issued when all of the following have occurred:
  - a. Two growing seasons have elapsed since the last manipulation.
  - b. The site contains similar values for the functions of item # 54(a.) as the area lost.
  - c. The performance standards of 10.55(4)(b) continue to be met.
67. An "as built" plan of the detention area, wetland crossings, and wetland replication areas showing critical inverts, and/or elevations shall be submitted to the Dracut Conservation Commission when requesting a Certificate of Compliance as stipulated by General condition No. 11.

#### **PLACEMENT OF FILL AND CONSTRUCTION RIPRAPPED EMBANKMENT:**

68. The ripraping of the embankment shall be completed, as quickly as possible, after the necessary dredging has been accomplished.

69. Riprap material shall be clean and free of trash, tree stumps, roots, and other deleterious material. Installation of riprap stone shall be done according to specifications identified in the Notice of Intent.
70. No vehicular traffic shall enter wetland areas during placement of fill and Riprap.
71. Any fill material used in this phase of the project shall be clean and free of trash, ice, snow, tree stumps, roots and other deleterious material. Fill material shall have properties that make it readily spread and compacted. Excavated materials from on-site sources or de-watered dredge spoil may only be used as fill material if the applicant can show to the Conservation Commission, or its agent, that said material is free of contamination and meets the above mentioned parameters.
72. Only crushed stone of uniform size shall be used for temporary construction roadways as an underlayment to permanent roadways within the 100' buffer zone to the wetlands. Said stone shall be washed, graded and free from organic materials.

#### **DOCKS AND PIERS:**

73. No construction shall occur between March 15 and June 15, during spawning season.
74. No creosote treated wood to be used.

#### **SUBDIVISIONS:**

75. On each deed of each parcel of the subdivision there shall be written "No filling of any portion of Wetlands as defined by the Wetlands Protection Act, Massachusetts General Laws Chapter 131, Section 40 and regulations thereto, 310, CMR 10.00 et. Seq., shall take place.
76. The delineation of the Bordering Vegetated Wetland as shown on the plan(s) of record has been accepted for the work allowed under this Order. Any other work or activity shall require a re-delineation of the bordering vegetated wetland consistent with the provisions of 310 CMR 10.55.

#### **CERTIFICATE OF COMPLIANCE:**

77. Upon project completion, a Massachusetts Registered Professional Engineer is to submit a written report to the Dracut Conservation Commission certifying that the work was done in accordance with the approved plans. The applicant shall submit an "as-built" plan to the Dracut Conservation Commission and the

Dracut Engineering Department upon completion of this project to receive a Certificate of Compliance.

78. See Special Condition #31.
79. See Special Condition #67.
80. See Special Condition #34.

#### **SIGNIFICANT PROJECTS (AS DESIGNATED BY THE DRACUT CONSERVATION COMMISSION)**

81. The Dracut Conservation Commission reserves the right and opportunity to modify this Order, or to require a new Notice of Intent to reflect concerns or issues raised, or project changes or mitigation measures proposed or required by other agencies and departments reviewing this project. The Applicant shall provide to the Dracut Conservation Commission copies of all draft and final permits, licenses, correspondence related thereto, and any information requested by the Dracut Conservation Commission necessary to evaluate the permits and licenses.
85. Prior to the commencement of any construction activities at the site, the Applicant shall submit in writing to the Dracut Conservation Commission the names, addresses, and phone numbers of those persons responsible for the following project activities: (a) site preparation, (b) storm water management; (during and post construction); (c) dredging; (d) erosion/siltation controls; and (e) environmental monitoring.
86. Prior to the commencement of any construction activities at the site the Applicant shall arrange an on-site meeting with Dracut Conservation Commission, or its agent, and those responsible for compliance with this Order of Conditions. These parties shall include construction supervisors, site engineers, environmental monitors and consultants, and any other parties responsible for ensuring compliance with this Order of Conditions. The applicant shall have the wetlands delineation clearly flagged on the entire site prior to this on-site meeting.
87. The Applicant shall be responsible for continuously maintaining the wetlands delineation flagging on the entire site until the issuance of the Certificate of Compliance.
88. The Applicant shall submit, in writing to the Dracut Conservation Commission a monthly monitoring report, which shall discuss the status of construction activities, the performance of the erosion/siltation control, the dredge spoil dewatering area, and the storm water management system, and any actions taken or recommended to improve protection of wetland resources or the effectiveness of mitigation measures. In addition, the Commission shall be notified by telephone and confirmed in writing, as soon as possible, of any failures of any of these controls and systems.

89. A Dracut Conservation Commission approved environmental monitor shall oversee the daily inspection and repair of the erosion and sedimentation controls and other mitigation measures at the project site as set forth in the Wetlands Protection Act, M.G.L., c.131, s. 40, and the Dracut Wetlands Protection Bylaw. At the discretion of the Dracut Conservation Commission at least one such monitor shall be on duty at the site at all times during construction activities. The names and phone numbers of these monitors must be provided to the Dracut Conservation Commission in writing. The monitor must be accessible and respond to concerns within twenty-four hours. Said monitors shall continue to oversee these operations at the discretion of the Dracut Conservation Commission.
90. The Commission reserves the right to require additional protective measures for wetland resource areas